

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
<b>1</b>	<b>148895</b>	<b>(backup or back-up or (back adj1 up))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 13:54</b>
<b>2</b>	<b>3</b>	<b>internal adj3 automat\$4 adj3 ( (backup or back-up or (back adj1 up)))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:05</b>
<b>3</b>	<b>1</b>	<b>(router\$1 or bridge\$1) with (internal adj3 automat\$4 adj3 ( (backup or back-up or (back adj1 up))))</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:03</b>
<b>4</b>	<b>388</b>	<b>( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:04</b>
<b>5</b>	<b>161</b>	<b>( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:04</b>
<b>6</b>	<b>0</b>	<b>(internal adj3 automat\$4) with (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) )</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:06</b>
<b>7</b>	<b>1</b>	<b>(internal adj3 automat\$4) same (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) )</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:09</b>
<b>8</b>	<b>145790</b>	<b>auto\$6 with (replac\$6 or exchang\$6 or substitut\$6 or chang\$6)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:14</b>
<b>9</b>	<b>245491</b>	<b>auto\$6 with (replac\$6 or exchang\$6 or substitut\$6 or chang\$6 or switch\$6)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:15</b>
<b>10</b>	<b>2416</b>	<b>(fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/05/18 14:21</b>

11	5	(auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) with ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:24
12	9	(auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:34
13	4	((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))) not ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) with ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:24
14	157	(auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 14:36
15	2	(( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) ) and ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:28
16	1		USPAT	2004/05/18 14:40
17	1		USPAT	2004/05/18 14:41
18	1		USPAT	2004/05/18 14:43
19	1		USPAT	2004/05/18 14:44
20	1		USPAT	2004/05/18 14:45
21	1		USPAT	2004/05/18 14:48
22	1		USPAT	2004/05/18 14:48
23	1		USPAT	2004/05/18 14:49
24	1		USPAT	2004/05/18 14:50
25	1		USPAT	2004/05/18 14:50
26	1		USPAT	2004/05/18 14:51
27	1		USPAT	2004/05/18 14:53

28	1		USPAT	2004/05/18 14:54
29	1		USPAT	2004/05/18 14:55
30	1		USPAT	2004/05/18 15:04
31	2	(auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:30
32	10637	(primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:34
33	19	((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:35
34	1	((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) ) and (auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:35
35	14	((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) ) and (auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:36
36	3	((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:40

37	18	((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) )) not (((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))) or (((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))) not ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) with ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)))) or ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:52
38	1		USPAT	2004/05/18 15:45
39	1		USPAT	2004/05/18 15:45
40	1		USPAT	2004/05/18 15:46
41	1		USPAT	2004/05/18 15:46
42	1		USPAT	2004/05/18 15:46
43	1		USPAT	2004/05/18 15:47
44	1		USPAT	2004/05/18 15:48
45	1		USPAT	2004/05/18 15:50
46	1		USPAT	2004/05/18 15:50
47	1		USPAT	2004/05/18 15:50
48	1		USPAT	2004/05/18 15:50
49	1		USPAT	2004/05/18 15:50
50	1		USPAT	2004/05/18 15:51
51	47	(( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (7\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:54

52	41	(( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (37\$/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:55
54	75	(( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (7\$/\$.ccls.)) or ((( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (37\$/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:56
55	2	(( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (7\$/\$.ccls.)) or ((( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (37\$/\$.ccls.))) and (auto\$6 with (replac\$6 or exchang\$6 or substitutd\$6 or chang\$6 or switch\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 15:56
53	28	(( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (37\$/\$.ccls.)) not ((( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (7\$/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 16:02

56	44	<p>((( (backup or back-up or (back adj1 up))) near3 (router\$1 or bridge\$1) ) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)) and (7\$/\$.cccls.)) not (((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) )) not (((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))) or (((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))) not ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) with ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)))) or ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) and ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge)))) or (((primary or second\$6 or redundan\$4 or mirror or backup or back-up) adj1 processor) and (( (backup or back-up or (back adj1 up))) near1 (router\$1 or bridge\$1) )) or ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) same ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))) or ((auto\$6 with (replac\$6 or exchang\$6 or substitud\$6 or chang\$6 or switch\$6)) with ((fail\$6 or fault\$4 or error\$6 or malfunct\$6 or problem or trouble)adj2 (router or bridge))))</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/05/18 16:02</p>
----	----	--	--	-----------------------------